

## CORRIGENDUM

**Subject: Construction of Pre-Engineered Building of Commercial Complex at Chhotta Shimla near Tibetan School with Light Gauge Steel Frame (L.G.S.F.) technology under Shimla Smart City Mission.**

With reference to the tender notice issued vide this office letter of even file No. 4686-87 dated 09/02/2021 on the subject cited above, following amendment are hereby issued on administrative reasons without prejudice to the other terms and conditions:-

Sr. No.	Existing	May be read as
1.	<p><b>(E) Walls:</b> <b>(a) Internal cladding:</b></p> <p>iv) Drinking water area and Toilets(wet areas) will have single layer of 12 mm thick Heavy Duty water proof fiber cement board type B class III and further specification as per Sr no 15 (Dado and skirting) .</p>	<p><b>(E) Walls:</b> <b>(a) Internal cladding:</b></p> <p>iv) Drinking water area and Toilets(wet areas) will have single layer of 12 mm thick Heavy Duty water proof fiber cement board <b>type A class IV</b> and further specification as per Sr no 15 (Dado and skirting).</p>

  
General Manager,  
Ropeways & Rapid Transport System  
Development Corporation, H.P. Limited  
U.S. Club, Shimla-1.  
Email: [gmrtdchp@gmail.com](mailto:gmrtdchp@gmail.com)

No. RTDC/EOI L&S/2021/4809-10

Date- 17/02/2021

Copy forwarded to

1. The Principal Secretary (Transport) to the Government of Himachal Pradesh for information please.
2. The Managing Director-cum-CEO, Shimla Smart City Limited information please.

  
General Manager,  
Ropeways & Rapid Transport System  
Development Corporation, H.P. Limited  
U.S. Club, Shimla-1.  
Email: [gmrtdchp@gmail.com](mailto:gmrtdchp@gmail.com)